Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 12 of 22

<u>REMARKS</u>

The foregoing amendments and these remarks are filed in response to the Final Office

Action dated August 11, 2009 (the "Office Action"), along with a Request for Continued

Examination and a Request for an Extension of Time. Authorization is given to charge the RCE

and extension fees to deposit account no. 50-0951.

At the time of the Office Action, claims 98, 119-124, 130, 131, 135-136, 141-143, 145-

148, 150-155, and 158 were pending. In the Office Action, objections were raised to claims 119,

146-148, 150 and 157. Claims 146, 148, and 150 were rejected under 35 U.S.C. §112. Claims

98, 119-124, 130, 131, 135, 136, 141-143, 145-148, 150-155, and 158 were rejected under 35

U.S.C. §103(a).

In this response, the objected to and rejected claims have been cancelled. New claims

159-181 have been added. Due to the number of previously filed claims, no additional claim

fees are believed to be necessary; however, authorization is given to charge any necessary fees to

deposit account no. 50-0951. The new claims are fully supported by the specification and recite

alternate subject matter.

I. Objections to Claims, and Rejections under 35 U.S.C. §112, second paragraph

The examiner has objected to claims 146, 148 and 150 for containing the trade name

TEXAS RED without indicating its chemical name. New claim 172 properly recites this trade

name and its chemical name. Withdrawal of this objection is therefore appropriate.

II. Rejection under 35 U.S.C. §103(a)

The claims pending at the time of the last Office Action response were rejected as being

unpatentable under 35 U.S.C. §103(a), based upon a combination of Myakishev et al, Nauck et

al, Nazarenko et al, Becker et al, and Holland et al. Applicant respectfully submits that the

newly submitted claims are patentable over the cited art.

In this regard, Applicant notes that the method of Myakishev does not disclose a

combination of two labels formed on target amplification. To the contrary, the combination of

two labels is formed in absence of an amplification reaction. The combination of two labels

breaks on target amplification, and the two labels are on one primer and not on two primers.

(WP637315;1)

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 13 of 22

Furthermore, the two universal hairpin energy transfer primers, two allele specific primers and a

common reverse primer have been used in each genotyping reaction. In each genotyping

reaction, two different targets corresponding to two different alleles (normal and mutated) of a

SNP are amplified and for each target amplification one labelled hairpin energy transfer primer

and one unlabelled allele specific primer and an unlabelled common reverse primer is used. Two

different labeled universal hairpin energy transfer primers are used for two different

amplification reactions to amplify two different targets (corresponding to two different alleles)

simultaneously.

In Myakishev at page 165, in the paragraph under the caption "Optimization of Assay

Condition and Sensitivity," only one labeled primer is used in one amplification reaction, as

opposed to two label primers. Applicant notes that the Office Action appears to confuse two

labeled sequences of a hairpin primer, which is a single oligonucleotide and contains four

different nucleotide sequences, with two labeled primers of the method of claim 159.

At the end of the second paragraph of page 164, Myashivek discloses that the distance

between the allele specific and reverse primers is not critical and varied from 7 to 157 bp,

meaning that there was no difference in amplification or detection of SNP whether the above-

mentioned distance between the allelic primer and the reverse primer was 7 bp or 157 bp. Allele

specific primers are not the actual amplification primer that drives the amplification reaction.

They are used for adding a non-target tail sequence to the target sequence. The amplification

primers are the universal hairpin energy transfer primer hybridizing to the added tail sequence,

and the reverse primer. The above distance variation of 7 to 157 bp is between the allele specific

primer and the reverse primer and not between the actual amplification primers. The distance

between the two actual amplification primers, on the other hand, vary from a minimum 25-30

bp to a maximum 175 to 180 bp, where the length of the allelic primers given in table 1 at page

164 varies from 18 nucleotides to 23 nucleotides and the tails are 21 nucleotides long.

Turning to Nauck, this reference does not teach a method of amplifying nucleic acids to

give products of 2 bp more than the primer dimer. Two bp is the distance between an anchor

probe and a detection probe used in the amplification reaction, and is not the distance between

{WP637315;1}

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 14 of 22

the two primers of the amplification reaction. The difference between the two primers is 113 bp.

(the 3' end of one primer is 720 nucleotides away from the transcription start site, and the 3' end

of other primer is 607 nucleotides away from the transcription start site), as noted in the second

paragraph of the second column of page 1142 of Nauck.

Returning to Myakishev, this reference discloses the use of a hairpin primer, which is

known to open in a sluggish manner. Opening of a hairpin primer can be a limiting factor

resulting in no variation in amplification with increase in size of the product. This sluggish

opening of hairpin primer may be the reason for the disclosed detection limit of 0.4 ng DNA,

which is not a very high sensitivity.

Neither Myakishev nor Nauck discloses an amplification product in the size range of 0 -

24 bp more than primer dimer. These references do not address optimization of the distance to

maximize the result, as the signal generation occurs by energy transfer between a donor moiety

on one primer and an acceptor moiety on another primer. The requirement of energy transfer

between donor and acceptor moiety is that the separation of two moieties should be 10-100

Angstrom, which is a separation of 0-28 bp between two moieties and a separation of

approximately 0-25 bp between the 3' ends of the two primers in the amplification product. The

above effect is observed when such primers are used in amplification a reaction.

Turning now to Nazarenko, this reference teaches the use of labeled primers for

quantification of amplified products by FRET. The Office Action asserts that Nazarenko teaches

detection of nucleic acid by nucleic acid amplification, use of pair of primers, lengths of primers,

donor –acceptor MET moieties and MET distance of 10-100 Angstrom, different target acids

like genomic or cDNA or mRNA etc., Tag DNA polymerase, cycling of denauration and

annealing steps, labeling of primers with different fluorophore and/or quenchers including

internal labeling, different FRET pairs and moieties, semi-nested PCR, and melting of hairpin

stem etc. These are all general or common elements or steps of nucleic acid amplification and

fluorescence signal generation.

Nazarenko teaches the use of only one labeled primer, and the labeled primer is an energy

transfer primer. Each energy transfer primer independently generates a FRET signal is a self-

{WP6373.15;1}

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 15 of 22

sufficient signal generating entity with a donor moiety and an acceptor moiety that are in energy

transfer relation when there is no amplification. A signal is generated on target amplification

through separation of donor and acceptor and disruption of energy transfer. There is no third

label moiety that is part of signal generation. Where two hairpin energy transfer primers are used,

each generates a signal independent of the other energy transfer primer. There is no interaction

between the energy transfer primers, and there is no signal generation through an interaction

between a MET moiety of one energy transfer and a MET moiety of another energy transfer

primer.

The Office Action cites to column 16, lines 23-26 of Nazarenko, where use of a dual

labeled linear energy transfer primer, and an energy transfer primer of triamplification has been

mentioned. Notably, in a linear energy transfer primer scenario, a donor and an acceptor are

placed on one linear primer and there is energy transfer between the donor and the acceptor

where the acceptor quenches the donor emission when there is no target amplification. On target

amplification, the linear energy transfer primer gets incorporated into the amplification and a

signal is measured after separating donor and acceptor from each other and disrupting the energy

transfer of the unincorporated or unutilized energy transfer primers. Jingyue Ju et al in Proc.

Natl. Acad. Sci. USA (1995), vol 92 pages 4347 – 4351 (entire article particularly last page) and

Wang, Y et al in Anal. Chem., (1995), 67, 1197 -1203 have described use of such a primer in

DNA sequencing by Sequenase enzyme or PCR cycle sequencing and in PCR. The authors have

added separation of donor and acceptor of unutilized primer to measure a signal for nucleic acid

detection.

In the energy transfer primer of triamplification, the reverse primer is provided and

labeled with a donor and the blocking oligonuc leotide, which is complementary to the reverse

primer, is provided labeled with an acceptor. The labeled reverse primer and the labeled blocking

oligonucleotide form a duplex, and there is energy transfer from donor to acceptor when there is

no target amplification. On target amplification the duplex of reverse primer and blocking

oligonucleotide get incorporated into the amplification and a signal is measured after separating

the donor and acceptor of unincorporated or unutilized duplex energy transfer primer. The 3' end

{WP637315;1}

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 16 of 22

of the blocking oligonucleotide is capped so that it cannot be extended. Hence the blocking

oligonucleotide cannot be a primer of nucleic acid amplification. Here the blocking

oligonucleotide acts as a probe or as a part of an energy transfer primer.

In the method of present application, the donor and acceptor moieties are not in one

primer, rather the donor is in one primer and the acceptor is in another primer, where the donor

and acceptor are separated from each other when there is no amplification, and on target

amplification both primers get incorporated into the amplification product so that the two

moieties can form a MET/FRET combination and an energy transfer takes place from donor to

acceptor resulting in a signal from acceptor. There is no probe for specificity of amplification in

the present method. Labeled amplification primers provide the specificity of amplification.

The Office Action also cites to column 20, lines 21-66 of Nazarenko, asserting that it

teaches a hairpin primer universal energy transfer primer. Each hairpin universal energy transfer

primer is a single primer and is a single oligonuc leotide with four different nucleotide sequences

in it. First and third sequences are 6-30 nucleotides long each and carry separately a first and a

second moiety selected from donor and acceptor moieties and forms the duplex or stem structure

of the hairpin because of their sequence complementarities. A second nucleotide sequence 3-20

nucleotides long and a fourth nucleotide sequence 8-40 nucleotides long are single stranded,

where the second sequence form a single stranded loop structure and the fourth sequence act as

the priming sequence of the hairpin energy transfer primer. All of these four sequences are joined

through their 5' and 3' ends to form a single oligonucleotide. There is no third oligonucleotide or

third label moiety.

In Table 5, the authors have tabulated nucleotide sequences of two different alleles of a

polymorphic target region and two hairpin energy transfer primers for amplifying these two

allelic targets. The first hairpin energy transfer amplifies the first allele in association with the

common unlabeled reverse primer and the second hairpin primer amplify the second allele in

association with the common unlabeled reverse primer. These two allele specific hairpin energy

transfer primers are identical except in one base, the allelic base. So there is no labeled third

oligonucleotide or third label moiety in Nazarenko.

{WP637315:1}

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

no third label, and only one primer is labeled.

Docket No. 3875-33

Page 17 of 22

In Figure 6 of Nazarenko, the authors depict the use of a hairpin energy transfer primer in triamplification in which one hairpin energy transfer forward primer, an unlabeled reverse primer and an unlabeled blocking oligonucleotide which is not a primer, as the 3' end of this oligonucleotide is blocked so that polymerase cannot extend this oligonucleotide. Thus, there is

In Figure 7 of Nazarenko, there is disclosed a triamplification reaction in which the forward primer (F) is provided unlabeled, the reverse primer (R) is provided labeled with a donor moiety (D) near 3' end and a blocking oligonucleotide (BL) labeled with an acceptor moiety (A) near 5' end, a phosphate modification at 5' end for ligation purpose and with a biotin molecule at 3' end to block the extension of the blocking oligonucleotide by the polymerase.

In the Office Action, the above-noted labeled first nucleotide sequence and labeled third nucleotide sequence of hairpin energy transfer primer may be mistaken to be a the first labeled primer and third labeled oligonucleotide as claimed. Notably, however, there is an additional second labeled oligonucleotide primer in the above claims of the present method. There are three label moieties in these claims, whereas in Nazarenko et al there are only two label moieties. The Office Action appears to incorrectly assert that the labels of the above first and third sequences of the first hairpin energy transfer primer for amplifying first allele as the first labeled primer and third labeled oligonucleotide of the above claims of the present method, and the second hairpin energy transfer primer for amplifying the second allele as the second labelled primer of the present. But, these two hairpin primers are not involved in amplifying the same target. To the contrary, they amplify two different targets (corresponding to two different alleles) in association with a common unlabelled reverse primer. There is neither any interaction between the two hairpin energy transfer primers nor there is any energy transfer interaction between the labels of first and second hairpin energy transfer primers of Nazarenko. In addition, only two label moieties fluorescein and DARCYL have been used in all labeled energy transfer primers. There is no third label moiety. The first and second labeled primers of the above claims of the present method are involved in amplifying one target sequence, and in the amplification product there is energy transfer interaction between the two label moieties on the first and second primers. In the

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 18 of 22

above claims of the method of present application there are three labels and three labeled

oligonucleotides of which two labeled oligonucleotides are two primers and there is energy

transfer between the labels of two primers and a signal is generated from such energy transfer.

The third oligonucleotide and the third label are used for reducing the background emission or

noise and not for signal generation. Hence there is a basic difference in the signal generation of

the present method with respect to Nazarenko.

Turning to Becker, this reference discloses two unlabeled primers that are used for

amplifying a target sequence and a FRET labeled probe (labeled with a donor at one end and an

acceptor at the other end, which are in energy transfer or FRET relation) is nested between the

two primers. The FRET labeled probe does not amplify any segment as it happens in nested

nucleic acid amplification. In contrast, in the method of claim 159, both primers (forward and

reverse) of nucleic acid amplification are labeled, one with a donor moiety and the other with an

acceptor moiety. In addition, there is no energy transfer between the donor and acceptor when

there is no target amplification. There cannot be any complementarities between two primers. On

target amplification, there is an energy transfer from donor to acceptor and acceptor emission is

measured.

In sum, detection of a target nucleic acid by nucleic acid amplification is a highly

sensitive method where the target nucleic acid is amplified millions to billions of times. Being a

highly sensitive method, it has associated problems of non-specific amplification from non-

specific annealing of primers and primer dimer formation, which results in amplification reaction

failure. Non-specific amplification products and primer dimer are the two major problems of

nucleic acid amplification. Primer dimer formation is a major problem when a few target

sequences are present in a sample. Whenever there are less than 10,000 copies of target nucleic

acid in an amplification reaction, primer dimer starts forming and primer dimer formation keeps

on increasing as the copies of the target nucleic acid in the amplification reaction reduces further.

It has been difficult in the field to avoid formation of primer dimer. Even with the best possible

primer pair designing, and the best possible optimization of an amplification reaction, it has not

been possible to avoid primer dimer formation. Moreover, whenever there is inhibition in the

{WP637315;1}

U.S. Patent Application No.: 10/516,361 Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33 Page 19 of 22

amplification reaction due to inhibitor in the sample or any other reason, primer dimer formation increases.

The solution to the problem of detection of specific amplification product in the presence of non-specific amplification product and primer dimer has been separation of the specific amplification product from the non-specific amplification product and primer dimer and subsequent detection of the specific product by a signal generation protocol, or separation and hybridization of a probe specific for the target sequence and a suitable signal generation protocol. When a FRET based signal generation is used in combination with nucleic acid amplification, no separation is required for nucleic acid detection or quantitation. In this regard, mainly a probe with suitable signaling moiety or moieties and a signal generation protocol has been used. For this non-separation base detection an oligonucleotide probe labeled with a fluorophore and a quencher at two ends and a polymerase with 5' exonuclease activity has been used for signal generation where the fluorophore and the quencher get separated due to 5' exonuclease hydrolysis of the probe if it is hybridized to the target, as described by Holland et al Proc. Natl. Acad. Sci. USA, 88,7276-80, 1991, Lee et al Nucleic Acid Res. 21, 3761-66, 1993 (acknowledged in the specification). There is a problem of sluggish amplification due to slow hybridization of the probe and obstruction by the probe to the polymerase extension which affect sensitivity, and moreover the fluorphore and quencher are at two ends of the probe where because of longer distance between the two moieties quenching is not efficient. Furthermore, the polymerase may displace the probe before a signal is generated and the probe can hybridize nonspecifically resulting in noise. This results in low signal to noise ratio. In another case (Tyagi and Kramer, 1996, Nature Biotech. 14, 303 –309 and US patent 5,312,728)(as acknowledged in the specification), a hair-pin probe labeled with a fluorophore and a quencher at two ends of the stem of the hair-pin probe, which gives a signal when it hybridizes to the specific target sequence through separation of the fluorophore and quencher have been used in nucleic acid amplification. The problem of the use of hairpin probe is sluggish opening of the hairpin probe, which affects the sensitivity of target detection. In addition, there are problems associated with hybridization of a probe. Furthermore, designing a suitable hairpin probe is not always possible. There are

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 20 of 22

methods where oligonucletides labeled with signaling moieties are ligated resulting in signal generation. In addition, there are methods based on use of a primer labelled with one fluorophore and a probe labelled with another fluorophore, where a signal is generated from the said two moieties on the primer and the probe on nucleic acid amplification and probe hybridization. There are methods where two probes labelled separately with two fluorophore are used and a signal is generated on hybridization of two probes. In this category are the methods of US patent

6,140,054 to Witter et al (acknowledged in the specification) and Nauck.

Use of a probe renders the amplification reaction sluggish and less efficient, resulting in less sensitivity. There are methods in which a primer suitably labeled with a signaling moiety for a signal generation is used. In this category falls the disclosures of Nazarenko and Myakishev. In addition, Nazarenko and Myakishev use only one of the two amplification primers as a labeled primer. Nauck uses both amplification primers as unlabeled primer and uses two probes each labeled separately with a donor or an acceptor. Becker and Holland use both amplification primers as unlabeled primer and use a single probe labeled with two labels at two ends.

No method has used two primers of nucleic acid amplification as a labeled primer. Notably, there is a major hurdle for the use of a donor labeled primer and an acceptor labeled primer for signal generation to detect a nucleic acid by amplification. The major hurdle is that the two primers of an amplification reaction labeled with a donor or an acceptor moiety respectively cannot be used in a nucleic acid amplification reaction, as primer dimer formed from such primers would generate a FRET signal more intense than the specific amplification product generates. It is known that FRET signal is inversely proportional to six power of the distance between donor and acceptor as a result it reduces drastically with increase in distance between the donor and acceptor moieties. Moreover, it has been known that it is very difficult or impossible to avoid primer dimer formation. Therefore, even a skilled person in the art would not think of using such labeled primers for nucleic acid analysis. Therefore, use of such a labeled primer for FRET signal generation cannot be anticipated or motivated from the disclosure of any of the documents cited. Before using two labeled primers for signal generation, one has to find a very good solution to the primer dimer problem, which previously was not possible.

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 21 of 22

The present application teaches that two primers labeled with a donor moiety or an acceptor moiety do not form primer dimer. For forming a primer dimer the polymerase has to extend one labeled primer over another labeled primer. For such an extension, the polymerase encounters a fluorophore moiety in a short distance while extending the other labelled primer. Such an encounter results in inhibition or prevention of such extension and, thus, inhibition or prevention of primer dimer formation. This is also unexpected according to prior knowledge as nucleotides labeled with fluorescent moiety or moieties have been incorporated into nucleic acid in nucleic acid synthesis by polymerase based extension as well as in PCR amplification incorporating fluorescent moiety labeled nucleotides in the amplification product. Further, such use of two labeled primers requires the donor and acceptor to be within 10-100 Angstrom, which is the distance limit of FRET. This requirement needs amplification of an amplification product in which 3° ends of two primers remain separated by 0-25 bp. Applicant also unexpectedly determined that while amplifying amplification product of such size that primer dimer formation is much reduced even when there are a few targets in the amplification reaction. The yield of the amplification product is very high in comparison to bigger size amplification products. Also non-specific amplification products are not formed due to such selection of amplification product. Further, because of the primer dimer problem, amplifying amplification product of such small size has been avoided as it becomes difficult to distinguish an amplification product from primer dimer product while analyzing the amplification product by gel electrophoresis. Because of this, amplification of an amplification product in this size region is avoided.

Regarding the Office Action's citation of Chetverin et al (WO 1993/17126) and US 6,210,897 to Andersson. Chetverin teaches attaching an oligonucleotide probe to a solid surface through covalent linking and hybridizing a target sequence to that probe and measuring a signal. Andersson et al teaches attaching an oligonucleotide probe to a solid surface through covalent linking and hybridizing a target sequence to the linked probe and ligating this linked probe to another probe, which also hybridizes to the same target. Covalent linking or covalent attachment to a solid surface has been known for a very long time. It is also well known that the rate of reaction of any reaction on a solid surface is slower than that in solution phase. As in

Amendment filed February 4, 2010

Response to Final Office Action dated August 11, 2009

Docket No. 3875-33

Page 22 of 22

hybridization of a probe to a target sequence, no enzymatic reaction takes place and hence the

hybridization reaction can be continued for a very long time so that a quantitative hybridization

can be achieved. Hybridized probe can later be reacted with enzymes. On the other hand, in the

case of nucleic acid amplification enzymatic reaction of a polymerase, repeated cycling of

denaturation, annealing and extension is also involved. If the amplification reaction is carried out

in solid phase, each step in each cycle would take longer. As a result, the polymerase would lose

its enzymatic activity with progress of the reaction as the enzyme has a definite lifetime. Because

of this, amplification reaction would be inefficient resulting in lower sensitivity.

III. Conclusion

Applicant has made every effort to present claims that distinguish over the prior art. All

claims are believed to be in condition for allowance. Nevertheless, Applicant invites the

Examiner to call the undersigned if it is believed that a telephonic interview would expedite the

prosecution of the application to an allowance. In view of the foregoing remarks, Applicant

respectfully requests reconsideration and prompt allowance of the pending claims.

Respectfully submitted,

AKERMAN SENTERFITT

Date: February 4, 2010

Peter A. Chiabotti, Reg. No. 54,603

Mark D. Passler, Reg. No. 40,764

Customer No. 30448

Post Office Box 3188

West Palm Beach, FL 33402-3188

Telephone: (561) 653-5000

Tel: 561-653-5000

[WP637315:1]